

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	14	(FPGA (field adj program\$4 adj gat\$3 adj array)) with mask\$3 same (second near3 mask\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:02
S2	7	(FPGA (field adj program\$4 adj gat\$3 adj array)) with mask\$3 and ((second two) near3 mask\$3)and (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:06
S3	115	(FPGA (field adj program\$4 adj gat\$3 adj array)) with (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3) and ((second two) near3 (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3))and (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:07
S4	93	(FPGA (field adj program\$4 adj gat\$3 adj array)) with (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3) and ((second two) near3 (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3))and (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3) and memor\$3 and (MAC "message authentication code" digest hash sign\$3 signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:09
S5	39	(FPGA (field adj program\$4 adj gat\$3 adj array)) with (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3) and ((second two) near3 (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3))and (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3) and memor\$3 and (MAC "message authentication code" digest hash signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 13:34

S6	39	(FPGA (field adj program\$4 adj gat\$3 adj array)) with (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3) and ((second two) near3 (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3))and (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3) and memor\$3 and (MAC "message authentication code" digest hash\$3 (one adj way adj function) signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:19
S7	16	(US-20010032318-\$ or US-20050081177-\$).did. or (US-5991908-\$ or US-6028939-\$ or US-6071314-\$ or US-6120551-\$ or US-6150837-\$ or US-6151677-\$ or US-6157614-\$ or US-6275588-\$ or US-6324288-\$ or US-6324676-\$ or US-6357037-\$ or US-6625787-\$ or US-6654889-\$ or US-6791353-\$). did.	US-PGPUB; USPAT	OR	ON	2005/05/26 13:29
S8	16	(FPGA field program\$4 gat\$3 adj array key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 second two key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 key first \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 memor\$3 MAC message authentication code digest hash signature) and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 13:31
S10	2	(FPGA field program\$4 gat\$3 adj array key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 second two key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 key first \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 memor\$3 MAC message authentication code digest hash signature) and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 13:31
S11	14	(FPGA (field adj program\$4 adj gat\$3 adj array)) with mask\$3 same (second near3 mask\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:53
S12	8	(FPGA (field adj program\$4 adj gat\$3 adj array)) with mask\$3 and ((second two) near3 mask\$3)and (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:53

S13	136	(FPGA (field adj program\$4 adj gat\$3 adj array)) with (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3) and ((second two) near3 (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3))and (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 07:11
S14	111	(FPGA (field adj program\$4 adj gat\$3 adj array)) with (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3) and ((second two) near3 (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3))and (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3) and memor\$3 and (MAC "message authentication code" digest hash sign\$3 signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:53
S15	50	(FPGA (field adj program\$4 adj gat\$3 adj array)) with (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3) and ((second two) near3 (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3))and (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3) and memor\$3 and (MAC "message authentication code" digest hash\$3 (one adj way adj function) signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:53
S16	50	(FPGA (field adj program\$4 adj gat\$3 adj array)) with (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3) and ((second two) near3 (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3))and (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3) and memor\$3 and (MAC "message authentication code" digest hash signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:53
S17	15	(US-20010032318-\$ or US-20050081177-\$).did. or (US-5991908-\$ or US-6028939-\$ or US-6071314-\$ or US-6120551-\$ or US-6150837-\$ or US-6151677-\$ or US-6157614-\$ or US-6275588-\$ or US-6324288-\$ or US-6324676-\$ or US-6357037-\$ or US-6625787-\$ or US-6654889-\$ or US-6791353-\$). did.	US-PGPUB; USPAT	OR	ON	2005/09/19 06:53

S18	15	(FPGA field program\$4 gat\$3 adj array key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 second two key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 key first \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 memor\$3 MAC message authentication code digest hash signature) and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 07:09
S20	2	(FPGA field program\$4 gat\$3 adj array key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 second two key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 key first \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 memor\$3 MAC message authentication code digest hash signature) and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:53
S21	15	(FPGA field program\$4 gat\$3 array key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 second two key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 key first \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 memor\$3 MAC message authentication code digest hash signature) and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:43
S22	14	(FPGA (field adj program\$4 adj gat\$3 adj array)) with (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3) and ((second two) near\$3 (FPGA (field adj program\$4 adj gat\$3 adj array)) with (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3))and (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 07:11
S23	23	(FPGA (field adj program\$4 adj gat\$3 adj array)) with (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 encod\$3 \$2capsulat\$3) and ((second two) near\$3 (FPGA (field adj program\$4 adj gat\$3 adj array)) with (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 encod\$3 \$2capsulat\$3))and (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 encod\$3 \$2capsulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 07:29

S24	11	(FPGA (field adj program\$4 adj gat\$3 adj array)) with (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 encod\$3 \$2capsulat\$3) and ((second two) near3 (FPGA (field adj program\$4 adj gat\$3 adj array)) with (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 encod\$3 \$2capsulat\$3))and (key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 encod\$3 \$2capsulat\$3) and (FPGA (field adj program\$4 adj gat\$3 adj array)) same (user near5 (configurat\$3 logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:42
S25	1135	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 07:30
S26	1231	326/39.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 07:30
S27	21	(US-20010032318-\$ or US-20050081177-\$).did. or (US-5991908-\$ or US-6028939-\$ or US-6071314-\$ or US-6120551-\$ or US-6150837-\$ or US-6151677-\$ or US-6157614-\$ or US-6275588-\$ or US-6324288-\$ or US-6324676-\$ or US-6357037-\$ or US-6625787-\$ or US-6654889-\$ or US-6791353-\$ or US-6205574-\$ or US-6175940-\$ or US-6089460-\$ or US-6049222-\$ or US-6028445-\$).did.	US-PGPUB; USPAT	OR	ON	2005/09/19 11:42
S28	7	(FPGA field program\$4 gat\$3 array key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 second two key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 key first \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 memor\$3 MAC message authentication code digest hash signature random psuedo) and S27 and random and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:00
S30	17	"6292018"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:01

S31	17	(FPGA field program\$4 gat\$3 array key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 second two key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 key first \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 memor\$3 MAC message authentication code digest hash signature random psuedo mask random) and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:19
S32	0	(FPGA field program\$4 gat\$3 array key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 second two key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 key first \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 memor\$3 MAC message authentication code digest hash signature random psuedo mask random) and S30 and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:04
S33	14	(FPGA field program\$4 gat\$3 array key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 second two key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 key first \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 memor\$3 MAC message authentication code digest hash signature random psuedo mask random) and S29 and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:15
S34	1	("6654889").URPN.	USPAT	OR	ON	2005/10/02 14:09
S35	14	(FPGA field program\$4 gat\$3 array key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 second two key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 key first \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 memor\$3 MAC message authentication code digest hash signature random psuedo mask random section part divi\$4 sector zone) and S29 and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:18

S37	2144	(FPGA field program\$4 gat\$3 array key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 second two key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 key first \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 memor\$3 MAC message authentication code digest hash signature random psuedo mask random section part divi\$4 sector zone) and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3) and (section part divi\$4 sector zone) with (FPGA PLD (program\$6 near3 (circuit (gated adj array) memory)) EPROM PROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:25
S38	335	(FPGA field program\$4 gat\$3 array key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 second two key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 key first \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 memor\$3 MAC message authentication code digest hash signature random psuedo mask random section part divi\$4 sector zone) and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3) same (section part divi\$4 sector zone) with (FPGA PLD (program\$6 near3 (circuit (gated adj array) memory)) EPROM PROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:26
S39	147	(FPGA field program\$4 gat\$3 array key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 second two key \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 mask\$3 key first \$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3 memor\$3 MAC message authentication code digest hash signature random psuedo mask random section part divi\$4 sector zone) and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3) same (section part divi\$4 sector zone) with (FPGA PLD (program\$6 near3 (circuit (gated adj array) memory)) EPROM PROM) and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:28

S40	147	(\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 \$2scrambl\$3) same (section part divi\$4 sector zone) with (FPGA PLD (program\$6 near3 (circuit (gated adj array) memory)) EPROM PROM) and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:43
S41	566	(\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 encod\$3) same (section part divi\$4 sector zone) with (FPGA PLD (program\$6 near3 (circuit (gated adj array) memory)) EPROM PROM) and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:43
S42	310	(\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 encod\$3) same (section part divi\$4 sector zone) with (FPGA PLD (program\$6 near3 (circuit (gated adj array)))) EPROM PROM) and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:49
S43	19705	"field programmable gate array"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:51
S44	0	field-programmable-gate\$-array\$.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:52
S45	0	field-programmable-gate-arrays.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:52
S46	1491	"field programmable gate arrays".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:52
S47	795	"field programmable gate arrays".ti. and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 14:52
S48	34	"field programmable gate arrays".ti. and @ay <="1999" and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 15:00

S49	10301	visi.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 15:01
S50	60	multiple with (crypto\$9 encrypt\$3 encod\$3) with (FPGA PLD ((configurable program\$6) near3 (circuit (gated adj array) memory EPROM PROM EPPROM ROM)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 15:07
S51	126	multiple with (crypto\$9 encrypt\$3 encod\$3 algorithm) with (FPGA PLD ((configurable program\$6) near3 (circuit (gated adj array) memory EPROM PROM EPPROM ROM)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 15:12
S52	37	multiple with (crypto\$9 encrypt\$3 encod\$3 algorithm) with (FPGA PLD ((configurable program\$6) near3 (circuit (gated adj array) memory EPROM PROM EPPROM ROM))) and (\$2crypt\$3 \$2cipher\$3 \$2cypher\$3 encod\$3) and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 15:11
S53	54	multiple with (crypto\$9 encrypt\$3 encod\$3 algorithm) with (FPGA PLD ((configurable program\$6) near3 (circuit (gated adj array) memory EPROM PROM EPPROM ROM))) and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 15:12
S54	17	S53 not S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 15:13
S56	2437	(sram eprom fpga) with (burn\$2 fus\$3 (hard adj cod\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 15:32
S57	7	(sram eprom fpga) with (burn\$2 fus\$3 (hard adj cod\$3)) and (first adj key) and second adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 15:33
S59	3137	FPGA and Mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:41

S60	224	FPGA and Mask adj bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:41
S61	224	FPGA and Mask adj bit and (configur\$6 program\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:42
S62	204	FPGA and Mask adj bit and (configur\$6 program\$6) and ((user adj logic) key configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:43
S63	117	FPGA and Mask adj bit and (configur\$6 program\$6) and ((user adj logic) key configuration) and (secur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:45
S64	119	FPGA and Mask adj (bit logic) and (configur\$6 program\$6) and ((user adj logic) key configuration) and (secur\$3) and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:45
S65	32	(US-20010032318-\$ or US-20050081177-\$).did. or (US-5406627-\$ or US-5642262-\$ or US-5768372-\$ or US-5892961-\$ or US-5991908-\$ or US-6028445-\$ or US-6028939-\$ or US-6049222-\$ or US-6071314-\$ or US-6089460-\$ or US-6120551-\$ or US-6150837-\$ or US-6151677-\$ or US-6157614-\$ or US-6175940-\$ or US-6205574-\$ or US-6209077-\$ or US-6275588-\$ or US-6324288-\$ or US-6324676-\$ or US-6351814-\$ or US-6357037-\$ or US-6600870-\$ or US-6625787-\$ or US-6642064-\$ or US-6654889-\$). did. or (US-6791353-\$ or US-6931543-\$ or US-5705938-\$ or US-5801547-\$).did.	US-PGPUB; USPAT	OR	ON	2005/10/17 07:51
S66	13	S65 and Mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:51